

**SIXTEENTH SCHEDULE
(Regulation 41)
PESTICIDE RESIDUE**

The food specified in column (2) of the table below shall not contain the pesticide specified in relation thereto in column (1) in proportion greater than the maximum

NOTE:

“Not prescribed” means the Maximum Residue Limits are not required.

(1)	(2)	(3)
<i>Pesticide</i>	<i>Food</i>	<i>Maximum Residue Limits (MRLs) in food (mg/kg)</i>
2,4-D	Rice (milled or polished)	<u>0.1</u>
	Coconut / coconut oil	0.05
	Palm oil	0.05
	Banana	0.1
	Sugarcane	<u>0.05</u>
Abamectin	<u>Citrus fruits</u>	<u>0.02</u>
	<u>Chilli</u>	<u>0.02</u>
	<u>French beans</u>	<u>0.02</u>
	<u>Potato</u>	<u>0.01</u>
	<u>Strawberry</u>	<u>0.15</u>
	<u>Watermelon</u>	<u>0.01</u>
	<u>Brinjal</u>	<u>0.05</u>
	<u>Cucumber</u>	<u>0.03</u>
	<u>Tomato</u>	<u>0.05</u>
Acephate	Coconut / coconut oil	0.5
	Palm oil	<u>0.01</u>
Acetamiprid	Okra	<u>0.2</u>
	<u>Citrus fruits</u>	<u>1</u>
	<u>Chilli</u>	<u>2</u>
	Long beans	<u>0.4</u>
	Cabbage	<u>0.7</u>
	<u>Watermelon</u>	<u>0.2</u>
	Brinjal	<u>0.2</u>
	Cucumber	<u>0.3</u>
	<u>Tomato</u>	<u>0.2</u>
<u>Ametoctradin</u>	<u>Cucumber</u>	<u>0.4</u>
Ametryn	Palm oil	0.2
	Pineapple	0.2
	Banana	0.2

(1)	(2)	(3)
<i>Pesticide</i>	<i>Food</i>	<i>Maximum Residue Limits (MRLs) in food (mg/kg)</i>
<u>Aminopyralid (aminopyralid and its conjugates that can be hydrolysed, expressed as aminopyralid)</u>	<u>Palm oil</u>	<u>0.5</u>
Amitraz (sum of amitraz calculated as N-(2,4-dimethylphenyl)-N-methyl formamidine and N'-methyl-formamidine).	Papaya	0.5
	Chilli	0.2
	<i>Durian</i>	0.5
Atrazine	Maize	0.2
	Pineapple	0.2
	Sugarcane	0.1
Azoxystrobin	<u>Starfruit</u>	<u>1</u>
	<u>Okra</u>	<u>1</u>
	<u>Rice (milled or polished)</u>	<u>0.2</u>
	<u>Papaya</u>	<u>2</u>
	Chilli	1
	<u>Wax apple</u>	<u>1</u>
	<u>French beans</u>	<u>1</u>
	<u>Kale</u>	<u>3</u>
	<u>Water spinach</u>	<u>3</u>
	<u>Mango</u>	<u>0.7</u>
	<u>Mustards</u>	<u>3</u>
	<u>Watermelon</u>	<u>0.2</u>
	<u>Tea</u>	<u>5</u>
	Cucumber	0.5
	Tomato	1
<u>Benalaxyl</u>	<u>Cucumber</u>	<u>0.2</u>
	<u>Tomato</u>	<u>0.2</u>
Benomyl (expressed as carbendazim)	See carbendazim	

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
Bensulfuron-methyl	Rice (milled or polished)	0.02
Bentazone	Rice (milled or polished)	0.1
	Groundnuts	0.05
<u>Bifenthrin</u> <u>(sum of isomers)</u>	<u>Brinjal</u>	<u>0.3</u>
	<u>Tomato</u>	<u>0.3</u>
Bispyribac sodium	Rice (milled or polished)	0.05
<u>Bistrifluron</u>	<u>Chilli</u>	<u>2</u>
	<u>Cabbage</u>	<u>2</u>
Buprofezin	<u>Okra</u>	<u>0.5</u>
	Rice (milled or polished)	0.2
	<u>Guava</u>	<u>0.1</u>
	<u>Brinjal</u>	<u>0.5</u>
	<u>Tomato</u>	<u>0.5</u>
Cadusafos	Banana	0.01
Captan	Palm oil	10
	Strawberry	<u>15</u>
	Tomato	<u>5</u>
Carbaryl	Rice (milled or polished)	1
	Soya bean	<u>0.2</u>
	Mustards	10
	Brinjal	<u>1</u>
Carbendazim (sum of benomyl, carbendazime and thiophanate-methyl, expressed as carbendazim)	Rice (milled or polished)	0.5
	Papaya	3
	Chilli	<u>2</u>
	Mango	<u>5</u>
	Banana	<u>0.2</u>
	Celery	2
	Lettuce	5
	Mustards	5
	Legume vegetables (except as otherwise listed)	2
	Watermelon	2
	Cucumber	0.5

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
Carbofuran (carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	Rice (milled or polished)	0.2
Carbosulfan	Rice (milled or polished)	0.2
	Chilli	0.5
	Long beans	0.5
	Watermelon	0.5
	Cucumber	0.5
<u>Chlorantraniliprole</u>	<u>Okra</u>	<u>0.6</u>
	<u>Rice (milled or polished)</u>	<u>2</u>
	<u>Chilli</u>	<u>0.6</u>
	<u>Maize</u>	<u>0.01</u>
	<u>Long beans</u>	<u>0.5</u>
	<u>Cabbage</u>	<u>2</u>
	<u>Mustards</u>	<u>5</u>
	<u>Brinjal</u>	<u>0.6</u>
	<u>Palm oil</u>	<u>0.1</u>
Chlorfluazuron	<u>Cabbage</u>	<u>0.3</u>
Chlorothalonil	Coffee beans	0.2
	Chilli	<u>7</u>
	Spring onion	10
	Cabbage	1
	Pepper (black, white)	0.2
	Mango	3
	Lettuce	10
	Legume vegetables	5
	Watermelon	5
	Cucumber	<u>3</u>
	Tomato	5
Chlorpyrifos	Starfruit	1
	Okra	0.2
	Rice (milled or polished)	0.1
	Cocoa beans	0.05
	Chilli	<u>2</u>
	Maize	<u>0.05</u>

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Guava	1
	Coconut / coconut oil	0.5
	Cabbage	<u>1</u>
	Pepper (black, white)	<u>1</u>
	Palm oil	0.5
	Mustards	1
	Tomato	0.5
<u>Chromafenozide</u>	<u>Cabbage</u>	<u>2</u>
	<u>Brinjal</u>	<u>1</u>
	<u>Tea</u>	<u>10</u>
Clethodim (sum of clethodim and its metabolites containing 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-	<u>Okra</u>	<u>0.05</u>
	<u>Long bean</u>	<u>0.5</u>
	<u>Groundnut</u>	<u>5</u>
	<u>Cabbage</u>	<u>0.2</u>
	<u>Potato</u>	<u>0.1</u>
<u>Clothianidin</u>	<u>Rice (milled or polished)</u>	<u>0.5</u>
	<u>Kale</u>	<u>2</u>
	<u>Tomato</u>	<u>0.05</u>
	<u>Mustard</u>	<u>2</u>
Cyfluthrin / beta-cyfluthrin (sum of isomers)	Cocoa beans	0.1
	<u>Kale</u>	<u>2</u>
	<u>Cabbage</u>	<u>0.08</u>
	<u>Pepper (black, white)</u>	<u>0.2</u>
	<u>Mango</u>	<u>0.5</u>
	<u>Mustards</u>	<u>2</u>
	Legume vegetables	0.5
	<u>Tomato</u>	<u>0.2</u>
<u>Cyhalofop-butyl</u>	<u>Rice</u>	<u>0.01</u>
Cyhalothrin (includes lambda-cyhalothrin) (sum of all isomers)	Okra	<u>0.3</u>
	Rice (milled or polished)	1
	Cocoa beans	0.1
	Chilli	<u>0.3</u>
	<i>Durian</i>	0.1
	Long beans	<u>0.2</u>

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Cabbage	<u>0.3</u>
	Pepper (black, white)	<u>0.03</u>
	Palm oil	0.1
	<u>Mustards</u>	<u>0.5</u>
	Brinjal	<u>0.3</u>
	<u>Tomato</u>	<u>0.05</u>
Cypermethrins (including alpha- and zeta-cypermethrin) (sum of isomers)	Starfruit	<u>0.2</u>
	Okra	0.5
	<u>Rice (milled or polished)</u>	<u>2</u>
	Papaya	<u>0.5</u>
	Cocoa beans	0.05
	<u>Coffee beans</u>	<u>0.05</u>
	Citrus fruits	<u>0.3</u>
	Chilli	<u>2</u>
	Maize	0.05
	Guava	2
	Long beans	<u>0.7</u>
	Kale	<u>0.7</u>
	Cabbage	1
	Cauliflower	1
	<u>Pepper (black, white)</u>	<u>0.5</u>
	Mango	<u>0.7</u>
	Palm oil	0.5
	Lettuce	<u>0.7</u>
	Mustards	<u>0.7</u>
	Brinjal	<u>0.03</u>
<u>Cucumber</u>	<u>0.07</u>	
Tomato	<u>0.2</u>	
Cyromazine	<u>French beans</u>	<u>1</u>
	Sweet pea	<u>1</u>
	<u>Long beans</u>	<u>1</u>
	<u>Celery</u>	<u>2</u>
Deltamethrin (sum of deltamethrin and its α -R- and trans- isomers)	Okra	0.2
	Rice (milled or polished)	1
	Papaya	0.05
	Citrus fruits	<u>0.02</u>
	Cauliflower	<u>0.1</u>

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Chilli	0.2
	Guava	0.05
	<u>Pepper (black, white)</u>	<u>0.05</u>
	French beans	0.1
	Long beans	<u>0.2</u>
	<u>Kale</u>	<u>0.2</u>
	Cabbage	0.2
	Mango	0.05
	Palm oil	0.2
	<i>Rambutan</i>	0.05
	<u>Mustards</u>	<u>0.2</u>
	<u>Watermelon</u>	<u>0.2</u>
	Brinjal	0.2
	Cucumber	0.2
	Tomato	<u>0.3</u>
Diaphenhiuron	<u>Tomato</u>	<u>0.1</u>
Diazinon	Rice (milled or polished)	0.1
	Legume vegetables (except as otherwise listed)	0.2
Dicamba	Palm oil	0.1
Difenoconazole	<u>Okra</u>	<u>1</u>
	Rice (milled or polished)	0.1
	Cocoa beans	0.1
	Chilli	1
	<u>Maize</u>	<u>0.05</u>
	French beans	1
	Long beans	1
	<u>Kale</u>	<u>2</u>
	<u>Kangkung</u>	<u>2</u>
	<u>Pepper (black, white)</u>	<u>0.3</u>
	Mango	1
	Palm oil	0.1
	Banana	<u>0.1</u>
	Mustards	<u>2</u>
	<u>Tea</u>	<u>1</u>
Watermelon	0.1	

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Cucumber	<u>0.2</u>
	Tomato	<u>0.6</u>
Diflubenzuron	Okra	<u>1</u>
	Cabbage	1
	Cauliflower	<u>1</u>
	Lettuce	<u>1</u>
	Brinjal	<u>1</u>
	Tomato	<u>1</u>
Dimethoate	Okra	<u>2</u>
	Rice (milled or polished)	0.1
	Chilli	2
	French beans	1
	Long beans	1
	Kale	0.5
	Carrot	1
	Cabbage	<u>0.05</u>
	Mango	1
	Lettuce	<u>0.3</u>
Dimethomorph (sum of isomers)	Melon	0.5
	Cucumber	<u>0.5</u>
	Tomato	<u>1.5</u>
<u>Dinotefuran</u>	<u>Rice (milled or polished)</u>	<u>2</u>
	<u>Chilli</u>	<u>2</u>
	<u>Kale</u>	<u>5</u>
	<u>Watermelon</u>	<u>0.5</u>
	<u>Brinjal</u>	<u>0.5</u>
Dithiocarbamates (total dithiocarbamates, determined as CS ₂ , evolved during acid digestion and expressed as mg CS ₂ /kg)	Amaranth	10
	Rice (milled or polished)	0.5
	Cauliflower	5
	Chilli	<u>1</u>
	Spring onion	10
	Long beans	2
	Cabbage	5
	Pumpkins	0.2
	Pepper (black, white)	3

(1)	(2)	(3)	
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)	
	Leek	0.5	
	Mango	2	
	Melons	0.5	
	Banana	2	
	Celery	5	
	Lettuce	10	
	Mustards	10	
	Watermelon	1	
	Cucumber	2	
	Tomato	<u>2</u>	
	Potato	0.2	
Diuron	Papaya	0.5	
	Coffee beans	0.1	
	Citrus fruits	0.5	
	Palm oil	0.1	
	Pineapple	0.5	
	Banana	0.5	
	Sugarcane	0.1	
	Tea	1	
DSMA (Disodium methyl arsonate)	Palm oil	0.1	
Emamectin benzoate (Emamectin B1a benzoate)	<u>Okra</u>	<u>0.02</u>	
	<u>Chilli</u>	<u>0.02</u>	
	<u>Maize</u>	<u>0.05</u>	
	<u>Long beans</u>	<u>0.05</u>	
	Cabbage	<u>1</u>	
	Mustards	<u>0.2</u>	
	<u>Brinjal</u>	<u>0.02</u>	
	<u>Tomato</u>	<u>0.02</u>	
<u>Epoxiconazole</u>	<u>Rice (milled or polished)</u>	<u>0.1</u>	
<u>Ethiprole</u>	<u>Rice (milled or polished)</u>	<u>0.2</u>	
Fenoxaprop-p-ethyl	Rice (milled or polished)	0.05	

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
<u>Fenpropathrin</u>	<u>Citrus fruits</u>	<u>2</u>
	<u>Chilli</u>	<u>1</u>
	<u>Cucumber</u>	<u>0.2</u>
	<u>Tomato</u>	<u>1</u>
<u>Fenpropimorph</u>	<u>Banana</u>	<u>2</u>
Fenthion (sum of fenthion, its oxygen analogue and their sulphoxides and sulphones, expressed as fenthion (fat-soluble))	Starfruit	2
	Rice (milled or polished)	0.05
	Citrus fruits	2
	Guava	2
	Mango	2
	Cucumber	0.5
Fenvalerate (sum of fenvalerate isomers)	Cocoa beans	0.05
	Chilli	1
	Cabbage	3
Fipronil	Cabbage	<u>0.02</u>
	<u>Cauliflower</u>	<u>0.02</u>
	<u>Palm oil</u>	<u>0.01</u>
Fluazifop-butyl	Palm oil	0.2
<u>Flubendiamide</u>	<u>Okra</u>	<u>0.2</u>
	<u>Rice (milled or polished)</u>	<u>0.2</u>
	<u>Cabbage</u>	<u>0.5</u>
	<u>Brinjal</u>	<u>0.2</u>
<u>Flucetosulfuron</u>	Rice (milled or polished)	0.02
Flufenoxuron	<u>Long beans</u>	<u>1</u>
	<u>Capsicum</u>	<u>1</u>
<u>Fluopicolide</u>	<u>Watermelon</u>	<u>0.1</u>
	<u>Honey dew</u>	<u>0.1</u>
	<u>Cucumber</u>	<u>0.5</u>
	<u>Tomato</u>	<u>0.2</u>

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
<u>Fluopyram</u>	<u>Mango</u>	<u>1</u>
Fluroxypyr	Palm oil	0.1
Fosetyl aluminium	Cocoa beans	1
	Citrus fruits	5
	<i>Durian</i>	1
	<u>Watermelon</u>	<u>10</u>
	<u>Honey dew</u>	<u>10</u>
	<u>Cucumber</u>	<u>10</u>
	<u>Tomato</u>	<u>3</u>
Glufosinate ammonium (sum of glufosinate ammonium and 3-hydroxy methyl phosphinyl propionic acid, expressed as glufosinate (free acid))	Onion (bulb)	0.05
	Starfruits	0.1
	Rice (milled or polished)	0.1
	Papaya	0.1
	Cocoa beans	0.5
	Coffee beans	0.1
	Citrus fruits	<u>0.05</u>
	<i>Durian</i>	0.1
	Cashew nuts	0.1
	Guava	0.1
	Coconut/coconut oil	0.5
	Cabbage	0.1
	<u>Pepper (black, white)</u>	<u>0.1</u>
	Mango	0.1
	Palm oil	0.5
	Jackfruit	0.1
	Banana	0.2
	Lettuce	<u>0.4</u>
	Tea	0.2
	Watermelon	0.1
	Brinjal	0.1
	Tomato	0.1
Glyphosate	Starfruit	0.1
	Papaya	0.2
	Cocoa beans	0.5
	Coffee beans	0.2

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Citrus fruits	0.2
	<i>Durian</i>	0.1
	Guava	0.1
	Coconut / coconut oil	0.1
	Mango	0.1
	Palm oil	0.1
	Banana	<u>0.05</u>
	Tea	0.2
Hexaconazole	<u>Palm oil</u>	<u>0.2</u>
	<u>Banana</u>	<u>0.1</u>
Imazapyr	Palm oil	0.1
Imazethapyr	Palm oil	0.05
Imidacloprid (sum of imidacloprid and its metabolites containing the 6-chloropyridinyl moiety, expressed as imidacloprid)	<u>Pepper (black,white)</u>	<u>0.05</u>
	<u>Tea</u>	<u>0.05</u>
	<u>Cucumber</u>	<u>1</u>
	<u>Tomato</u>	<u>0.5</u>
<u>Indaziflam</u>	<u>Palm oil</u>	<u>0.01</u>
<u>Indoxacarb</u> <u>(sum of indoxacarb and its R enantiomer)</u>	<u>Cauliflower</u>	<u>0.5</u>
	<u>Chilli</u>	<u>0.5</u>
	<u>Long beans</u>	<u>3</u>
	<u>Kale</u>	<u>2</u>
	<u>Cabbage</u>	<u>0.5</u>
	<u>Mustards</u>	<u>2</u>
	<u>Tomato</u>	<u>0.5</u>
Iprodione	Rice (milled or polished)	10
Lufenuron	<u>Starfruit</u>	<u>1</u>
	<u>Papaya</u>	<u>1</u>
	Chilli	<u>0.8</u>
	<u>Wax apple</u>	<u>0.5</u>
	<u>Cabbage</u>	<u>0.5</u>
Malathion	Starfruit	2

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
	Papaya	1
	Pineapple	8
Metalaxyl	<u>Onion</u>	<u>0.05</u>
	<u>Amaranth</u>	<u>0.5</u>
	<u>Cauliflower</u>	<u>0.5</u>
	<i>Durian</i>	0.2
	<u>Groundnuts</u>	<u>0.1</u>
	<u>Cabbage</u>	<u>0.5</u>
	<u>Lettuce</u>	<u>0.5</u>
	<u>Mustards</u>	<u>0.5</u>
	<u>Potato</u>	<u>0.05</u>
Methamidophos	Coconut / coconut oil	<u>0.01</u>
	Palm oil	<u>0.01</u>
<u>Methoxyfenozone</u>	<u>Rice (milled or polished)</u>	<u>0.1</u>
	<u>Chilli</u>	<u>0.5</u>
	<u>Long beans</u>	<u>0.5</u>
	<u>Brinjal</u>	<u>0.5</u>
<u>Metosulam</u>	<u>Rice (milled or polished)</u>	<u>0.02</u>
Metsulfuron methyl	Rice (milled or polished)	0.02
	Palm oil	0.02
Monocrotophos	Coconut / coconut oil	<u>0.01</u>
	Palm oil	<u>0.01</u>
<u>Orthosulfamuron</u>	<u>Rice (milled or polished)</u>	<u>0.03</u>
Paraquat (paraquat cation)	Coconut/coconut oil	0.1
	Palm oil	0.1
Pencycuron	Rice (milled or polished)	0.5

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
Pendimethalin	<u>Rice (milled or polished)</u>	<u>0.05</u>
	<u>Groundnuts</u>	<u>0.05</u>
Pirimiphos-methyl	Rice (milled or polished)	1
	Maize	5
Prochloraz (sum of prochloraz and its metabolite containing the 2, 4, 6-trichlorophenol moiety, expressed as prochloraz)	Mango	2
	Banana	5
Propiconazole	Rice (milled or polished)	0.05
<u>Propyrisulfuron</u>	<u>Rice (milled or polished)</u>	<u>0.01</u>
Pymetrozine	<u>Okra</u>	<u>1</u>
	<u>Brinjal</u>	<u>0.5</u>
<u>Pyraclostrobin</u>	<u>Chilli</u>	<u>0.5</u>
	<u>Maize</u>	<u>0.04</u>
	<u>Mango</u>	<u>0.05</u>
	<u>Banana</u>	<u>0.02</u>
<u>Pyribenzoxim</u>	<u>Rice (milled or polished)</u>	<u>0.01</u>
<u>Pyridalyl</u>	<u>Cabbage</u>	<u>0.2</u>
<u>Pyriproxyfen</u>	<u>Tomato</u>	<u>1</u>
<u>Spinetoram</u>	<u>Rice (milled or polished)</u>	<u>0.02</u>
	<u>Chilli</u>	<u>0.1</u>
	<u>Long beans</u>	<u>0.1</u>
	<u>Brinjal</u>	<u>0.1</u>

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
Spinosad (sum of spinosyn A and spinosyn D)	<u>Starfruit</u>	<u>0.02</u>
	<u>Citrus fruits</u>	<u>0.3</u>
	<u>Chilli</u>	<u>0.3</u>
	<u>Guava</u>	<u>0.3</u>
	Kale	2
	Cabbage	0.5
	<u>Mango</u>	<u>0.3</u>
	Mustard	2
	<u>Brinjal</u>	<u>0.2</u>
<u>Spirodiclofen</u>	<u>Citrus fruits</u>	<u>0.4</u>
	<u>Chilli</u>	<u>1</u>
	<u>Mango</u>	<u>0.1</u>
	<u>Brinjal</u>	<u>1</u>
<u>Spiromesifen</u>	<u>Chilli</u>	<u>0.5</u>
	<u>Brinjal</u>	<u>0.5</u>
	<u>Tomato</u>	<u>0.5</u>
<u>Spirotetramat</u> <u>(spirotetramat and its enol metabolite, 3-(2,5-</u>	<u>Brinjal</u>	<u>1</u>
	<u>Tomato</u>	<u>1</u>
Tebuconazole	<u>Rice (milled or polished)</u>	<u>1.5</u>
	<u>Brinjal</u>	<u>0.1</u>
	<u>Citrus fruits</u>	<u>0.3</u>
	<u>Chilli</u>	<u>1</u>
	<u>Maize</u>	<u>0.05</u>
	<u>French beans</u>	<u>0.5</u>
	<u>Long beans</u>	<u>0.5</u>
	<u>Pepper (black, white)</u>	<u>1</u>
	Banana	<u>1.5</u>
	<u>Tomato</u>	<u>0.7</u>
Thiamethoxam	<u>Citrus fruits</u>	<u>0.5</u>
	<u>Mango</u>	<u>0.2</u>
	<u>Tomato</u>	<u>0.2</u>
Thiophanate-methyl (sum of thiophanate-methyl	See carbendazim	

(1)	(2)	(3)
Pesticide	Food	Maximum Residue Limits (MRLs) in food (mg/kg)
<u>Tolfenpyrad</u>	<u>Cabbage</u>	<u>0.5</u>
<u>Triasulfuron</u>	<u>Rice (milled or polished)</u>	<u>0.02</u>
	<u>Palm oil</u>	<u>0.01</u>
Trichlorfon	<u>Palm oil</u>	<u>0.1</u>
	Watermelon	0.2
Triclopyr	Palm oil	0.1
<u>Tricyclazole</u>	<u>Rice (milled or polished)</u>	<u>0.5</u>
	<u>Chilli</u>	<u>0.5</u>
<u>Trifloxystrobin</u>	<u>Citrus fruits</u>	<u>0.5</u>
	<u>Chilli</u>	<u>0.3</u>
	<u>Long bean</u>	<u>0.5</u>
	<u>Pepper (black,white)</u>	<u>0.02</u>
	<u>Brinjal</u>	<u>0.7</u>
	<u>Cucumber</u>	<u>0.3</u>
	<u>Tomato</u>	<u>0.7</u>